



GARAGE doors

GATES | WINDOWS | DOORS | FENCES

Welcome to the world of garage doors by WIŚNIEWSKI

WIŚNIEWSKI garage doors combine a robust structure with timeless design, and your safety with utmost comfort. See how innovative technology makes life easier.

In the world of WIŚNIEWSKI garage doors, you will find solutions for any project. No matter what, you can be certain of their high quality and perfect tailoring to your needs.

WIŚNIEWSKI garage doors are energy-efficient and prevent heat loss. Searching for products for thermal efficiency improvement? WIŚNIEWSKI garage doors are the perfect choice.


5

up to 5 years of warranty with
WIŚNIEWSKI Extended Care



Learn more

Extended Care provides up to 5 years of warranty coverage for a complete product: an automatic sectional door factory-configured with the METRO Smart io, MOTO io or SPARK drive unit.



UniPro

guaranteed at least 25,000 cycles*

automatic operating units
for **the smart home as standard**

galvanized structure

40 mm panel

Up=0.48 W/m²K

rollers with bearings



class:
standard

* Min. 20,000 cycles for doors with extension springs. ** The inside of the door cu



UniTherm

guaranteed at least 25,000 cycles

automatic operating units
for **the smart home as standard**

galvanized structure
(optionally coated in RAL 9002)

INNOVO 60 mm panel

$U_p=0.33 \text{ W/m}^2\text{K}$

double rollers with bearings

flexible **panel joint covers**

double bottom gasket



class:
premium



PRIME

guaranteed at least 25,000 cycles

automatic operating units
for **the smart home as standard**

galvanized and
powder-coated **structure****

INNOVO 60 mm panel

$U_p=0.33 \text{ W/m}^2\text{K}$

double rollers with bearings

flexible **panel joint covers**

double-chamber bottom gasket

optical safety system and safety
system for mechanical elements



class:
exclusive

PRIME

Discover perfection in every detail. PRIME combines the highest level of safety, premium accessories, and broad customization options. It is a garage door just like your home - exceptional and unique.



RC2 anti-burglary protection



Excellent **thermal insulation**
0.33 W/m²K



The highest **level of safety**



At least **25,000 cycles**
for the garage door



The highest **aesthetics**
of workmanship

Safety

in the exclusive dimension



Class: **exclusive**

PRIME is an exclusive new generation sectional garage door. Its design was based on the idea that every detail matters. Thanks to utmost attention to detail, you get a product that is one of a kind. Packed with exceptional solutions, unique elements, unequalled in terms of design and technology. The garage is no longer just a storage space – it is a part of your home you care for when choosing the PRIME garage door.



Energy
efficiency

Modern automatic operating units
Intelligent drive unit
METRO Smart io or SPARK

Structural components coated in RAL 9002 or RAL 9005
– when appearance matters

Perfect workmanship
– flexible panel joint covers conceal the hinges and guarantee a uniform look of the leaf

Refined details
– the safety system will ensure your comfort and peace of mind

The INNOVO 60 mm panel
makes it possible to obtain excellent thermal insulation parameters. It also constitutes a great base for the curtain structure.

Safe and warm




Optical safety system



Safety system for mechanical elements



Double-lip gasket in the fascia panel



Circumferential gasket (double-lip)



Double-chamber bottom gasket



Top aluminium profile with a gasket

One of a kind: PRIME Black Edition.

A garage that's beautiful inside and out?
PRIME Black Edition is a unique garage door **with the inner part coated in black**, which can be combined with an almost unlimited number of colour variants of the front of the door. Utmost freedom of customization.



Discover more details on the PRIME garage door

UniTherm

A warm home is not just a guarantee of comfort in your daily life.
It also involves notable savings on heating bills.
Guaranteed with the warm UniTherm garage door.



At least **25,000 cycles**
for the garage door



Excellent **thermal insulation**
0.33 W/m²K



The highest
level of safety



RC2 anti-burglary
protection

A modern solution for the garage



class: **premium**



Energy
efficiency

UniTherm is a PREMIUM class garage door – designed with demanding energy-efficient and passive buildings in mind. The warm structure of the INNOVO panels will allow you to lower your heating bills – UniTherm is over 20% warmer than the market standard! With the UniTherm garage door, we recommend the MOTO io, METRO Smart io or SPARK drive unit – an ideal set for your home!

Long-lasting durability
– a spring system designed for 25,000 cycles.

Panel joint covers
– protection and elegance

The INNOVO 60 mm panel
makes it possible to obtain excellent heat transfer parameters.

Tracks and opening frames in a galvanized version, optionally painted in RAL 9002.

Double bottom gasket
closely seated against the floor, protecting the garage from dirt and pollution, while limiting heat loss




Functionality and safety



Double rollers with bearings ensure quiet running of the garage door leaf.




Flexible panel joint seals increase tightness and conceal the hinges.



Overload safety device causes the garage door to automatically stop and reverse if it encounters an obstacle.



Photocells (optional) prevent uncontrolled movement of the door leaf if an obstacle is present within the clear passage.



Integrated spring break safety device.
A guarantee of safety.



Safe panel shape prevents fingers from getting crushed.



INNOVO

unique structure of the panel with a thickness of **60 mm** makes it possible to obtain excellent heat transfer parameters of the garage door.



Discover more details on the UniTherm garage door

UniPro

Combines precision manufacturing with a vast range of designs, structures, colours, and decorative motifs. This lets you match the UniPro garage doors to both modern buildings and traditional houses.



High **thermal insulation**
0.48 W/m²K



The highest
level of safety



RC2 anti-burglary
protection



At least **25,000 cycles**
for the garage door

The best as standard



class: **standard**

UniPro is a versatile garage door that will be a great choice for both stand-alone garages and those integrated with the building. Choose from five types of panel ribs, four structures, glazings, hundreds of colours, different framework types, and as many as 44 film coatings. Thanks to the simple and proven structure, it is reliable and easy to install, which will allow you to save a lot of time and money.



Energy
efficiency

Available in a manually-operated and automatic version with the METRO Smart io, MOTO io or SPARK drive unit – choose a version that's best for you


Long-lasting durability – structure made of high-quality galvanized steel sheet

40 mm thick panels with a polyurethane foam infill

Decorative motifs – offering garage door customization options



Quality you can trust




Double-lip circumferential gasket effectively improving thermal insulation.



Quiet guiding rollers with bearings – ensuring quiet running of the leaf.



Integrated spring break safety device. A guarantee of safety.



Cable break safety device – standard in garage doors with a surface of 9 m² or larger.



Overload safety device – causes the garage door to automatically stop if it encounters an obstacle.



Top panel tilt* – the kit makes it possible to tilt the top panel of the garage door without the need to lift the door.
*option

WICKET DOOR IN THE UniPro garage door

– an option enhancing garage functionality and guaranteeing daily comfort of use. An aesthetically finished wicket door is a functional solution for a garage without a side entrance door. You do not have to fully open the garage door to get inside. This translates into energy and time savings.

THE HORIZON PANEL

– one of the most interesting optional features for WIŚNIEWSKI garage doors. The slender and very elegant glazing is an element enhancing the design of the garage door and at the same time, it serves a practical function, letting more light into the garage interior. This subtle feature now has a new variant: with LED lighting.



Discover more details on the UniPro garage door

RenoSystem SNP and SSt

renovation made to measure

Our aim is to make garages more modern, energy-efficient, and comfortable. Thanks to the renovation system, modern sectional garage doors from WIŚNIEWSKI can be installed in existing garage door openings - even in more challenging spaces - without a lintel or side jambs.



Renovation
without limits.

- Special structure for installation if there is no lintel or side jambs
- Panel fascia levelling the surface of the walls
- A broad spectrum of solutions for various installation challenges
- Adaptable installation options with a cover in front of, behind or in the opening



Safety



Universal installation





Covers in the same colour as the garage door leaf - for a better visual effect.





More details on renovation solutions



Installation behind the opening -
cover behind the opening



Installation in the opening -
cover in the opening



Installation in the opening -
cover in front of the opening



UniPro SNP 2.0

a perfect renovation solution

The UniPro SNP 2.0 sectional garage door is intended for buildings with a low lintel, where there is not enough space under the ceiling, as well as for garages with a narrow side clearance, where the installation of standard solutions is impossible.

Reliable structure and control

- The product is available in a manually-operated or automatic version with the METRO Smart io, MOTO io or SPARK drive unit.
- The height of the lintel of the UniPro SNP 2.0 garage door should be at least 90 mm (manually operated version) / 100 mm (automatic version with the MOTO/METRO drive unit) / 120 mm (automatic version with the SPARK drive unit). The product is a perfect choice for stand-alone and attached garages, renovated or new.
- A special angle bar system enables garage door installation even in the case of a narrow side clearance with covers in the clear opening, ensuring an appealing look from the outside.
- As standard, the UniPro SNP 2.0 garage door is equipped with covers, always in the colour of the door leaf.



Looking for a garage door that will last for years? Then this is a great choice because one of the most important elements of the UniPro garage door – the extension spring system – was designed for 20,000 opening and closing cycles. Assuming four cycles per day, this means **up to 14 years of reliable operation.**

Side gasket + cover in the garage door colour for even better tightness and a sleek look.


Guide rails fastened to the opening frame, enabling adjustment on site.

Universal installation method with the option of cover installation in the opening.

An arrow at the height of 950 mm, facilitating precise installation of the structure.

Double installation fixing holes facilitating mounting on the wall.

Guiding rollers with bearings ensuring proper running of the garage door.



Automation solutions

Perfection in motion

An automatic garage door is the most functional solution for the home. A premium-class drive unit enhances the comfort of use of the garage, increases safety, and enables remote control from almost any place in the world.

Remember to commission crucial service work on your garage door with a drive unit only to trusted specialists, whose expertise will guarantee peace of mind for years to come.



Compare and choose a drive unit for your garage door

METRO Smart io

- Easy programming
- 4-channel PULSAR io transmitter
- 3CH wall-mounted transmitter
- io radio transmission
- KEYPAD 2 code keypad
- Signal light
- Overcurrent obstacle detection
- Compatible with photocells
- Optional mechanical carriage lock
- Compatible with an emergency power supply battery
- Optional additional lighting available
- Rail with a chain or belt
- Smart home – a wireless system
- Warranty – 5 years

MOTO io

- Easy programming
- 2-channel PULSAR io transmitter
- 3CH wall-mounted transmitter
- io radio transmission
- KEYPAD 2 code keypad
- Signal light
- Overcurrent obstacle detection
- Compatible with photocells
- Optional mechanical carriage lock
- Compatible with an emergency power supply battery
- Rail with a chain or belt
- Smart home – a wireless system
- Warranty – 5 years

SPARK

- Easy and quick programming
- DART/DART Vibe four-channel transmitter
- 2CH wall-mounted transmitter
- WIŚNIEWSKI 868 radio transmission
- ENTRACode+ code keypad
- Signal light
- Overcurrent obstacle detection
- Compatible with photocells
- Compatible with an electromagnetic motor lock
- Compatible with an emergency power supply battery
- Optional additional lighting available
- Split rail with a fixed chain
- Smart home – a wireless system
- Warranty – 5 years



METRO Smart io

A complete drive unit: packed with state-of-the-art solutions that will make your everyday life as safe and comfortable as possible. METRO Smart io combines all the best features - without compromise or limitations.

The drive unit was developed jointly by WIŚNIEWSKI and Somfy, a global leader in automation solutions and smart control systems.



PULSAR io 4-channel transmitter



MOTO io

The MOTO io - a result of collaboration between WIŚNIEWSKI and Somfy - combines the most important characteristics of a safe, functional, and reliable drive unit. As standard, it provides all the crucial features that you can expand thanks to our range of accessories.



PULSAR io 2-channel transmitter



SPARK

WIŚNIEWSKI
868 MHz

Yet another modern solution in our range of automatic operating units for garage doors. It combines all the features of a state-of-the-art drive unit for garage doors - from easy programming to the possibility of control via the WIŚNIEWSKI Connected app. It offers a number of control and safety solutions and makes it possible to optimally design a functional and practical garage.



DART 4-channel transmitter

Live more comfortably with smartCONNECTED

TaHoma switch - the right solution for you if:


- You want to centralize control of the devices at your home
- You have a sectional or up and over garage door with the MOTO io or METRO Smart io drive unit
- You are planning to add more smart devices



WIŚNIEWSKI POWERED BY somfy.


WIŚNIEWSKI Connected - the right solution for you if:

- You want to control your garage door via Wi-Fi
- You have a sectional or up and over garage door with the SPARK drive unit
- You are planning to add more smart devices




LED lighting in the garage door structure. More light and functionality

Enjoy powerful, energy-efficient lighting in your garage with modern **LED lights** mounted directly to the door structure – under the tracks and the track connector. Stylish black aluminium profiles match any doors – both new and existing ones! In doors equipped with the METRO Smart io or SPARK automatic operating units, the lighting switches on automatically together with the door drive unit. However, in the METRO Smart io drive, the lighting can also be controlled remotely using a transmitter or the TaHoma app.



Garage ventilation feature

A practical feature which makes it possible to air the garage without opening the entire door. The interior of the building is fully secure, as only the top panel is tilted.



METRO Smart io and MOTO io automatic operating unit accessories



KEYPAD 2 code keypad

Enables drive unit control in the io-homecontrol technology. The 2-channel code keypad makes it possible to control drive units and radio receivers.



Mechanical lock of the carriage

It prevents the garage door from being opened from the outside by unauthorized persons, e.g. by prising it open. It increases the safety of the garage and the entire house.



3CH wall-mounted transmitter

The 3-channel transmitter makes it possible to control drive units and radio receivers. Examples of use:

- - full opening/closing of the door,
- - LED lighting under the tracks and/or track connector,
- - top panel tilt.

Wireless communication makes it possible to install it in any place and doesn't require any cables.



External io radio receiver

Lets you control the drive units using the Pulsar transmitter. It is a two-channel device where you can program as many as 16 transmitters.



Photocells

prevent uncontrolled door leaf movement when an obstacle is present within the clear passage.



Emergency power supply battery

It provides power for several cycles of emergency operation in case of a power outage: for instance, in order to drive out of or into the garage.

SPARK automatic operating unit accessories



DART/ DART VIBE remote control transmitter

Control several drive units simultaneously with a single transmitter!

DART Vibe confirms signal reception with a vibration feature – ensuring confidence and comfort at all times.



Photocells 180

They prevent uncontrolled door leaf movement when an obstacle is present within the clear passage.



2CH wall-mounted transmitter

A two-channel transmitter for drive unit control with radio transmission.

A LED indicator shows the door position – you always know whether it is open or closed.



Frame-mounted photocells

Only two cables (any polarity) – and it's ready! Self-installation kit with a cable included. Mounted in the vertical

opening frame profiles – a discreet and effective protection against trapping. Range: 8 m.



WIŚNIOWSKI 868 radio receiver

It makes it possible to control other drive units with the DART and DART Vibe transmitters, and the 2CH wall-mounted transmitter. The two-channel device operating at the frequency of 868 MHz supports up to 40 transmitters. A solution which makes it possible to install and extend the control system

without the need to drill holes in the wall. It is a perfect solution for modernization or renovation projects.



LOCK - motor lock

Electromagnetic drive unit lock active in any door position.

Withstands pressure up to 300 kg – effective protection against forced opening attempts.

A perfect addition to the security system.



ENTRAcode+ code keypad

Illuminated, wireless surface-mounted keypad – convenience and security in a modern form.

An individual access code allows you to open the door without a key or remote control.

No cables = quick and easy installation.




Transmitter clip

A practical holder for attaching the DART and DART Vibe transmitters to the sun visor in the car.


Convenience and quick access while driving.

Optional accessories



Output - signal board

Additional board with a signal output. Information about the position of the door: door not open (NO)/door not closed (NC). Compatible with wired smart home systems.



RELAY - additional transmitter

An additional transmitter with the NC/NO output enabling, e.g., switching on lights in the garage and external lights, or providing information about the position of the door: door not open (NO) / door not closed (NC). Compatible with wired smart home systems.



CONEX - output board

Additional board with signal, impulse inputs, whose inputs were defined for opening and closing. Compatible with wired smart home systems.

Up and over garage doors

a proven classic.

External part of the garage door made of steel sheet.



Rollers with bearings guarantee many years of quiet operation.



The garage door in a thermally insulated version is available for improved thermal insulation of your garage.

Specially selected extension springs balance the weight of the door leaf.

The two-point lock prevents unauthorized persons from opening the garage door.



Pattern 5
Vertical high

Pattern 3
Horizontal high

Pattern 6

Pattern 7



Pattern 20

Pattern 30

Pattern 40

Pattern 50



Pattern 8
Horizontal low - shutter

Pattern 9
Horizontal high - shutter

Pattern V
Vertical high

H design
Horizontal high

Simple design

and reliable operation

Up and over garage doors are a popular and reliable solution, valued for their simple design and ease of use. Available in insulated and uninsulated versions, with a wide range of models and colours, they can be tailored to individual needs.



The KOMFORT up and over garage door can be infilled with a selected material - e.g. wood, and matched to the façade of the garage.



An economical solution



Perfect for stand-alone garages



In the most popular colours



Read more about up and over garage doors

Single- and double-leaf garage doors

quality at an affordable price.

Opening limiter – controls the movement of the garage door leaf and prevents it from being opened too wide.

Hinge limiter – prevents the leaf from being prised open.

Screwed joints – guarantee stability of the entire structure consisting of galvanized steel profiles.

Self-latching bolt – makes it easier to close the door.

Example designs of double-leaf garage doors



Support foot – prevents the garage door from closing in an uncontrolled manner.

Thermal insulation* – expanded polystyrene finished with a PVC panel
* option



Vertical low




Design 1 - horizontal low



Design 7 - slanted "SA"



Design 9 - horizontal high - shutter



Design H - horizontal high



Design 8 - horizontal low - shutter



Garage door with portholes and ventilation grilles

Simply proven,
simply good.

Single- and double-leaf doors are the most economical closure system for a garage. Simple and proven solutions guarantee an affordable price and reliable operation.

- Frame elements made of galvanized steel profiles.
- High stability thanks to screwed joints.
- Durable panels infilling the leaves made of high-quality galvanized T10 steel sheet.
- Safeguard preventing the garage door from being prised open thanks to a reliable hinge lock.
- Opening limiter protecting the garage door leaf from being opened too wide.
- Support foot preventing the garage door from closing in an uncontrolled manner.
- Self-latching bolt facilitating closing.
- Various models, colours, and designs to choose from.
- Infill available in a vertical, horizontal or slanted orientation.
- Optionally available with thermal insulation.



An economical solution



Perfect for stand-alone garages



In the most popular colours



Read more about single- and double-leaf garage doors



Accessories and colour options for sectional garage doors

4 structures. A detail highlighting the garage door design.




Woodgrain



Smoothgrain



Sandgrain



Silkline

5 rib designs. Classic or modern? Choose the style that suits you.



G - without ribs



W - high ribs



N - low ribs



V - V ribs



K - caisson ribs

Example decorative motifs and design options. Customize your garage door by taking advantage of all the available options.



Available colours:



All sectional door panels with the woodgrain and silkline texture are available in RAL colours.



Home Inclusive.

A system created for harmony


The Home Inclusive system combines durability and high quality of WIŚNIOWSKI garage doors, gates, windows, doors, and fences with broad customization options. Looking for durable and beautiful solutions for your home? Good design and harmonious appearance of your property is important to you? **Choose from 16 refined colours with a unique metallic 3D structure, pick patterns and details, and make your dream about a perfect home become reality.**




Garage doors, gates, windows, doors, and fences in matching design

- Various design combinations
- 18 stunning colours
- Corrosion protection: hot-dip galvanizing and powder coating


HI EARTH



HI STONE



HI STEEL



HI RUBY



NEW COLOURS

EXTENDED CARE.

A warranty that works for you

Up to **5 years of protection** without compromise - **EXTENDED CARE** provides extended warranty coverage **for WIŚNIOWSKI automatic garage doors.**

A programme created for those who value investment in quality, durability, and peace of mind. **It delivers a genuine sense of security and the highest level of user comfort.**



Learn more about the detailed terms and conditions



Regular technical inspections



Long-term **peace of mind** and **predictable** costs



Protection for the entire door and drive unit system



A high standard of **professional service**

Find inspiration
and bring your dreams to life!





Side doors. Aluminium panel doors can be perfectly matched to garage doors. Their infill is the very panel used for manufacturing the sectional door leaf.



Extended Care

5

up to **5 years warranty**

The EXTENDED CARE warranty offers a unique possibility to extend the warranty on automatic sectional garage doors factory-configured with the METRO Smart io, MOTO io or SPARK drive unit.



smartCONNECTED



Control your home and property from any place in the world. The smartCONNECTED system integrates WIŚNIEWSKI garage doors, gates, windows, doors, and fences. Set scenarios, open, close, check the status, and monitor.

Find inspiration!



Discover our online catalogues

Where to buy



Scan the QR CODE and **find a point of sale!**

www.wisniowski.pl/en/distribution

Perfection in every detail

WIŚNIEWSKI Sp. z o.o. S.K.A.
33-311 Wielogłowy, Poland

 /wisniowski_official

 /wisniowski.group

The products shown in the photographic material often feature special accessories and do not always correspond to their standard versions • This brochure does not constitute an offer within the meaning of the Polish Civil Code. • The manufacturer reserves the right to introduce changes without notice. • NOTE: The colours shown in this brochure are for reference only • All rights reserved • Copying and use, in part or in full, is prohibited without the consent of WIŚNIEWSKI Sp. z o.o. S.K.A. • 05/26/EN

